

Marine Life Protection Act Initiative



Water Quality in the MLPA South Coast Study Region

Dominic Gregorio, MLPA Master Plan Science Advisory Team

Presentation to the MLPA South Coast Regional Stakeholder Group January 14, 2009 • San Diego, CA



Southern California Bight

- 17 million people living within coastal watersheds
- Much of coastal land use is urban and industrial
- Busy coastal ocean:




- -ports and marinas
- -dredging and ocean disposal
- -commercial shipping
- -military bases and operations
- -offshore oil drilling/production



California Ocean Plan (COP)

- EPA-approved water quality control plan
 - Standards for ocean waters to three mile limit
 - Discharges outside are regulated to ensure "no violation" within state waters
 - Beneficial uses of ocean waters human health and marine life receptors
 - Water quality objectives
 - Program of implementation
 - Areas of special biological significance (ASBS)
- Triennial reviews
- Amendments in progress





Areas of Special Biological Significance

- ASBSs are water quality opportunities
- 16 in southern California, 6 mainland and 10 island
- All ASBS are marine managed areas state water quality protection areas
- Waste discharges are prohibited
- 2003 survey found storm water and other discharges
- Currently being regulated to maintain "natural water quality"
- Natural Water Quality Committee and ASBS Monitoring <u>http://www.waterboards.ca.gov/water_issues/programs/ocean/asbs_nwqcommittee.shtml</u>



Discharges

Discharges into the Southern California Bight






2001-2006

National Pollutant Discharge Elimination System

NPDES Waste Water Permits

Waste water sources:



- Power Plants (7120 mgd)
- Large Publicly Owned **Treatment Works** (1049 mgd)
- □ Small Publicly Owned **Treatment Works** (116 mgd)
- Offshore Oil Production (34 mgd)
- Laboratory and Industrial (9 mgd)



Power Plants

6.3 billion gallons per day

- Entrainment and impingement, regulated through National Pollutant Discharge Elimination System permits
- Thermal wastes
- In-plant wastes (sewage, chemicals varies by plant)
- Much greater volume but generally much lower loading than publicly owned treatment works (POTWs)






Publicly Owned Treatment Works

- Four large POTWs
 - Los Angeles City (Hyperion) secondary treatment
 - Los Angeles County (White Point) secondary treatment
 - Orange County primary treatment with chlorination
 - San Diego (Point Loma) primary treatment to begin chlorination
- 15 small POTWs directly discharging to bight
 - International waste water plant (Tijuana)
- Other small POTWs discharge to coastal streams



Historical Metal Discharge Rates

Pounds (in thousands) of Metals (Cd, Cr, Cu, Pb, Hg, Ni, Ag, Zn) Discharged Southern California 1971-2002




Data Source: SCCWRP and Discharger Self Monitoring Reports



Offshore Oil Drilling and Production

- Most in federal outer continental shelf, some in state waters
- Small volume and loading in comparison to publicly owned treatment works
- Wastes streams include produced water, sanitary wastes, drilling mud and cuttings








NPDES Storm Water Permits

- Phase I and Phase II Municipal Permits
- Caltrans Statewide Permit
- Industrial and Construction General Permits





Typical Annual Storm Water Runoff

Land Use	Gallons (billions)
Urban/suburban	217
Agriculture	11
Open space	56
Total	284

Annual volume comparable to POTWs, but largely untreated



Storm Water Considerations

- Pollutants include trash/plastic debris, heavy metals, nutrients, PAHs, pesticides, pathogens and others
- Dry weather flow
- Atmospheric deposition air pollution and transportation sources



Effluent Dominated Streams

- Discharges from publicly owned treatment works and industries, dry weather runoff, and storm water
 - Examples from southern L.A. County:
 - –Los Angeles River
 - -Dominguez Channel
 - -San Gabriel River








Commercial Vessel Discharges

- Ballast water- non-indigenous species introductions
- Graywater source of pathogens and other pollutants
- Sewage disposal
- SB 771 prohibitions on certain vessel wastes – cruise ships and 300 gross ton vessels
- US Environmental Protection Agency Vessel General Permit



Eutrophication

- Harmful Algal Blooms
 - Domoic acid poisoning
- Hypoxia
 - More pronounced threat in enclosed bays than in coastal waters
- Monitoring Efforts
 - **-HABMAP**
 - -SCCWRP Bight '08 Nutrient Study






Sediment Pollution

Legacy pollutants

- -DDT, PCB
- -Persistent
- -bioaccumulation
- DDT at White Point
- Sediment pollution
 - in bays and estuaries
 - Heavy metals, persistent organics
 - Maps at http://www.waterboards.ca.gov/water_issues/programs/bptcp/docs/sediment/072208_appendix_d.pdf
- Harbor dredge spoils discharged offshore

Data Source: EPA 2008. http://www.epa.gov/region09/waste/sfund/pvshelf/.






Emerging Issues

- PBDEs flame retardants
- New pesticides (e.g. pyrethroids)
- Endocrine disruptors and other pharmaceuticals
- Climate Change
 - -Global issue
 - -Sea level rise and temperature
 - Ocean acidification
 - 1. Ocean Plan standards: (no more than 0.2 ph unit change allowable from "natural")



Opportunities and Concerns

- Water Quality Opportunities
 - -ASBS
- Major Water Quality/Industrial Concerns
 - Power plant intakes and discharges
 - Large storm drains
 - POTW and industrial waste water outfalls





Next Steps

- Potential SAT approval of maps, guidance document, and evaluation process
- Maps may show areas of water quality concerns, and water quality opportunities; the guidance document will expand on this
- Evaluation process may consist of qualitative scoring system
- *South Bay here areas may be identified by SAT as of particular concern: